

# Investigación Científica sobre Cerveza y Salud

## Referencias bibliográficas

González-Gross M, Lebrón MR, Marcos A. Revisión bibliográfica del consumo moderado de la cerveza sobre la salud. **Centro de Información Cerveza y Salud. 2000; E 6.**

Posadas J. Estudio recopilatorio Cerveza y Salud. **Centro de Información Cerveza y Salud. 1998; E 1.**

Villarino AR, Martínez JR, Posadas P. Biblioteca de publicaciones científicas internacionales sobre el consumo de la cerveza y su posible relación con la salud de la población. **Centro de Información Cerveza y Salud. 2000; E 5.**

### COMPOSICIÓN NUTRICIONAL

Mataix J. Tabla de composición de alimentos. **Ed. Universidad de Granada. 2003; (4) 303.**

Requejo A, Ortega R. Las diferencias en los hábitos alimentarios y estado nutritivo de un colectivo de personas, en función del tipo de bebida consumida de manera habitual. **Centro de Información Cerveza y Salud. 1998; E 2.**

Sendra JM, Carbonell JV. Evaluación de las propiedades nutritivas, funcionales y sanitarias de la cerveza, en comparación con otras bebidas. **Centro de Información Cerveza y Salud. 1999; E 3.**

Bamforth CW. Nutritional aspects of beer: a review. **Nutrition Research. 2002; 22:227-237.**

### APORTACIÓN CALÓRICA

Bobak M, Skodova Z, Marmot M. Beer and obesity: a cross-sectional study. **European Journal of Clinical Nutrition. 2003; 57(10):1250-53.**

Gerken T, Girard CA, Tung YC, Webby CJ, Saudek V, Hewitson KS, Yeo GS, McDonough MA, Cunliffe S, McNeill LA, Galvanovskis J, Rorsman P, Robins P, Prieur X, Coll AP, Ma M, Jovanovic Z, Farooqi IS, Sedgwick B, Barroso I, Lindahl T, Ponting CP, Ashcroft FM, O'Rahilly S, Schofield CJ. The obesity-associated FTO gene encodes a 2-oxoglutarate-dependent nucleic acid demethylase. **Science. 2007; 318(5855):1469-72.**

Loos RJ, Bouchard C. FTO: the first gene contributing to common forms of human obesity. **Obesity Reviews. 2008; 9(3):246-50**

Ponsonby AL, Blizzard L, Pezic A, Cochrane JA, Ellis JA, Morley R, Dickinson JL, Sale MM, Richards SM, Dwyer T. Adiposity gain during childhood, ACE I/D polymorphisms and metabolic outcomes. **Obesity Silver Spring. 2008; 16(9):2141-7.**

Romeo J, González-Gross M, Wärnberg J, Díaz LE, Marcos A. ¿Influye la cerveza en el aumento de peso? Efectos de un consumo moderado de cerveza sobre la composición corporal. **Nutrición Hospitalaria. 2007; 22(2):223-8.**

Romeo J, González-Gross M, Wärnberg J, Díaz LE, Marcos A. Contribución a la ingesta de micro y macronutrientes que ejerce un consumo moderado de cerveza. **Nutrición Hospitalaria. 2006; 21(1):84-91**

Ruggenenti P, Bettinaglio P, Pinares F, Remuzzi G. Angiotensin converting enzyme insertion/deletion polymorphism and renoprotection in diabetic and nondiabetic nephropathies. **Clinical Journal of the American Society of Nephrology. 2008; 3(5):1511-25.**

Serra LL, Aranceta J. La cerveza en la alimentación de los españoles: relación entre el consumo de cerveza y el consumo de energía y nutrientes, el índice de masa corporal y la actividad física en la población adulta española. **Centro de Información Cerveza y Salud**. 2003; E 11.

Strazzullo P, Iacone R, Iacoviello L, Russo O, Barba G, Russo P, D'Orazio A, Barbato A, Cappuccio FP, Farinaro E, Siani A; Olivetti Prospective Heart Study. Genetic variation in the renin-angiotensin system and abdominal adiposity in men: the Olivetti Prospective Heart Study. **Annal of Internal Medicine**. 2003; **138(1):17-23**.

### **FIBRA**

Fujita T, Adachi J, Ueno Y, Peters TJ, Preedy VR. Chronic ethanol feeding increases 7-hydroperoxycholesterol and oxysterols in rat skeletal muscle. **Metabolism**. 2002; **51(6):737-42**.

Goñi I, Díaz-Rubio ME, Saura-Calixto F. Dietary fiber in beer: Content, Composition, Colonic Fermentability, and contribution to the diet. **Beer in Health and Disease Prevention**. 2009; **28: 299**.

Jiménez JP, Serrano J, Tabernero M, Arranz S, Díaz-Rubio ME, García-Diz L, Goñi I, Saura-Calixto F. Effects of grape antioxidant dietary fiber in cardiovascular disease risk factors. **Nutrition**. 2008; **24(7-8):646-53**.

Saura-Calixto F, Goñi I, Martín C, Pulido R. Fibra dietética de la cerveza; contenido, composición y evaluación nutricional. **Centro de Información Cerveza y Salud**. 2000; E 9.

Saura-Calixto F, García-Alonso A, Goñi I, Bravo L. In vitro determination of the indigestible fraction in foods: an alternative to dietary fiber analysis. **Journal of Agricultural and Food Chemistry**. 2000; **48(8):3342-7**.

Saura-Calixto F, Goñi I. The intake of dietary indigestible fraction in the Spanish diet shows the limitations of dietary fibre data for nutritional studies. **European Journal of Clinical Nutrition**. 2004; **58(7):1078-82**.

### **HOMOCISTEÍNA Y ÁCIDO FÓLICO**

De Luis D, Aller R. Beer Consumption and Homocysteine. **Beer in Health and Disease Prevention**. 2009; **62: 615**.

Mayer Jr O, Simon J, Rosovolva H. A population study of the influence of beer consumption on folate and homocysteine concentrations. **European Journal of Clinical Nutrition**. 2001; **55(7):605-9**.

Varela-Moreiras G, Alonso E, Póo R. La determinación in Vitro y en vivo de la biodisponibilidad del ácido fólico contenido en la cerveza. **Centro de Información Cerveza y Salud**. 2000; E 4.

Varela-Moreiras G, Escudero JM, Alonso-Apperte E. Homocisteína, vitaminas relacionadas y estilos de vida en personas de edad avanzada: Estudio SÉNECA. **Nutrición Hospitalaria**. 2007; **22(3):363-70**.

### **SISTEMA INMUNE**

Díaz E, González-Gross M, Martínez JR, Vallejo AI, Marcos A. Estudio nutricional e inmunológico en humanos y en animales de experimentación. **Centro de Información Cerveza y Salud**. 2002; E 10.

Díaz LE, Cano P, Jimenez-Ortega V, Nova E, Romeo J, Marcos A, Esquifino AI. Effects of moderate consumption of distilled and fermented alcohol on some aspects of neuroimmunomodulation. **Neuroimmunomodulation**. 2007; **14(3-4):200-5**.

Romeo J, González-Gross M., Wärnberg J., Díaz LE, Marcos A. Effects of moderate beer consumption on blood lipid profile in healthy Spanish adults. **Nutrition, Metabolism & Cardiovascular Diseases**. 2008; **18(5): 365-72**.

Romeo J, Wärnberg J, Díaz LE, González-Gross M, Nova E, Marcos A. Changes in the immune system after moderate beer consumption. **Annals of Nutrition and Metabolism**. 2007; **51(4):359-66**.

Romeo J, Wärnberg J, Díaz LE, González-Gross M, Marcos A. Effects of moderate beer consumption on first-line immunity of healthy adults. **Journal of Physiology and Biochemistry**. 2007; **63(2):153-9**.

Romeo J, Wärnberg J, Nova E, Díaz LE, Gómez-Martínez S, Marcos A. Moderate alcohol consumption and the immune system: a review. **British Journal of Nutrition**. 2007; **98 Suppl 1:S111-5**.

### **SALUD ÓSEA: SILICIO**

Albrand G, Muñoz F, Sornay-Rendu E, DuBoeuf F, Delmas PD. Independent predictors of all osteoporosis-related fractures in healthy postmenopausal women. **Bone**. 2003; **32(1):78-85**.

Bainbridge KE, Sowers M, Lin X, Harlow SD. Risk factors for low bone mineral density and the 6-year rate of bone loss among premenopausal and perimenopausal women. **Osteoporosis International**. 2004; **15(6):439-46**.

Bauer DC, Browner WS, Cauley JA, Orwoll ES, Scott JC, Black DM, Tao JL, Cummings SR. Factors associated with appendicular bone mass in older women. The Study of Osteoporotic Fractures Research Group. **Annals of Internal Medicine**. 1993; **118(9):657-65**.

Bellia JP, Birchall JD, Roberts NB. Beer: a dietary source of silicon. **Lancet**. 1994; **343(8891):235**.

Borah B, Dufresne TE, Chmielewski PA, Manhart MD, Watts NB. Risedronate preserves bone architecture in postmenopausal women with osteoporosis as measured by three-dimensional microcomputed tomography. **Bone**. 2004; **34(4):736-46**.

Felson DT, Zhang Y, Hannan MT, Kannel WB, Kiel DP. Alcohol intake and bone mineral density in elderly men and women. The Framingham Study. **American Journal of Epidemiology**. 1995; **142(5):485-92**.

Feskanich D, Korríck SA, Greenspan SL, Rosen HN, Colditz GA. Moderate alcohol consumption and bone density among postmenopausal women. **Journal of Women's Health**. 1999; **8(1):65-73**.

Ganry O, Baudoin C, Fardellone P. Effect of alcohol intake on bone mineral density in elderly women: The EPIDOS Study. *Epidemiologie de l'Osteoporose*. **American Journal of Epidemiology**. 2000; **151(8):773-80**.

Jugdaohsingh R, O'Connell MA, Sripanyakorn S and Powell JJ. Moderate Alcohol Consumption and Increased Bone Mineral Density: Potential Ethanol and Non-ethanol Mechanisms. **Proceedings of the Nutrition Society**. 2006; **65(3):291-310**.

Jugdaohsingh R, Powell JJ. Moderate Beer Consumption: Effects on Silicon Intake and Bone Health. **Beer in Health and Disease Prevention**. 2009; **80: 787**.

Jugdaohsingh R, Anderson SH, Tucker KL, Elliott H, Kiel DP, Thompson RP, Powell JJ. Dietary silicon intake and absorption. **American Journal of Clinical Nutrition**. 2002; **75(5):887-93**.

Jugdaohsingh R, Tucker KL, Qiao N, Cupples LA, Kiel DP, Powell JJ. Dietary silicon intake is positively associated with bone mineral density in men and premenopausal women of the Framingham Offspring cohort. **Journal of Bone and Mineral Research**. 2004 Feb; **19(2):297-307**.

Jugdaohsingh R, Anderson SH, Tucker KL, Elliott H, Kiel DP, Thompson RP, Powell JJ. Dietary silicon intake and absorption. **American Journal of Clinical Nutrition**. 2002; **75(5):887-93**.

McNaughton SA, Bolton-Smith C, Mishra GD, Jugdaohsingh R, Powell JJ. Dietary silicon intake in postmenopausal women. **British Journal of Nutrition**. 2005; **94(5):813-7**.

Mukamal KJ, Robbins JA, Cauley. Alcohol consumption, bone density, and hip fracture among older adults: the cardiovascular health study. **Osteoporosis International**. 2007; **18(5):593-602**.

Pedreira JD, Lavado JM, Rico H. Ingesta moderada de cerveza y masa ósea en mujeres pre, peri y postmenopáusicas. **Centro de Información Cerveza y Salud. 2004; E 13.**

Powell JJ, McNaughton SA, Jugdaohsingh R, Anderson SH, Dear J, Khot F, Mowatt L, Gleason KL, Sykes M, Thompson RP, Bolton-Smith C, Hodson MJ. A provisional database for the silicon content of foods in the United Kingdom. **British Journal of Nutrition. 2005; 94(5):804-12.**

Sripanyakorn S, Jugdaohsingh R, Elliott H, Walker C, Mehta P, Shoukru S, Thompson RP, Powell JJ. The silicon content of beer and its bioavailability in healthy volunteers. **British Journal of Nutrition. 2004. 91(3):403-9.**

Sripanyakorn S, Jugdaohsingh R, Mander A, Davidson SL, Thompson RP, Powell JJ. Moderate Ingestion of Alcohol is Associated with Acute Ethanol-Induced Suppression of Circulating CTx in a PTH-Independent Fashion. **Journal of Bone and Mineral Research. 2009.**

Sripanyakorn S, Jugdaohsingh R, Elliott H, Walker C, Mehta P, Shoukru S, Thompson RP, Powell JJ. The silicon content of beer and its bioavailability in healthy volunteers. **British Journal of Nutrition. 2004; 91(3):403-9.**

Tucker KL, Jugdaohsingh R, Powell JJ, Qiao N, Hannan MT, Sripanyakorn S, Cupples LA, Kiel DP. Effects of beer, wine, and liquor intakes on bone mineral density in older men and women. **American Journal of Clinical Nutrition. 2009.**

Walker C, Freeman G, Jugdaohsingh R, Powell J. Silicon in beer; Origin and Concentration. **Beer in Health and Disease Prevention. 2009; 35: 367.**

## **ALZHEIMER**

González-Muñoz MJ, Meseguer I, Peña A. Posible efecto protector del silicio contenido en la cerveza en las enfermedades neurodegenerativas. **Centro de Información Cerveza y Salud. 2006; E 15.**

González-Muñoz MJ, Peña A, Meseguer I. Role of beer as a possible protective factor in preventing Alzheimer's disease. **Food and Chemical Toxicology. 2008; 46(1):49-56.**

Gonzalez-Muñoz MJ, Meseguer I, Sanchez-Reus MI, Schultz A, Olivero R, Benedí J, Sánchez-Muniz FJ. Beer consumption reduces cerebral oxidation caused by aluminum toxicity by normalizing gene expression of tumor necrotic factor alpha and several antioxidant enzymes. **Food and Chemical Toxicology. 2008; 46(3):1111-8.**

Peña A, Meseguer I, González-Muñoz MJ. Influence of moderate beer consumption on aluminium toxicokinetics: acute study. **Nutrición Hospitalaria. 2007; 22(3):371-6.**

Ruitenbergh A, van Swieten JC, Witteman JC, Mehta KM, van Duijn CM, Hofman A, Breteler MM. Alcohol consumption and risk of dementia: the Rotterdam Study. **Lancet. 2002;359(9303):281-6.**

Stampfer MJ, Kang JH, Chen J, Cherry R, Grodstein F. Effects of moderate alcohol consumption on cognitive function in women. **The New England Journal of Medicine. 2005; 352(3):245-53.**

## **FITOESTRÓGENOS**

Fanti P, Monier-Faugere MC, Geng Z, Schmidt J, Morris PE, Cohen D, Malluche HH. The phytoestrogen genistein reduces bone loss in short-term ovariectomized rats. **Osteoporosis International. 1998; 8(3):274-81.**

Milligan SR, Kalita JC, Heyerick A, Rong H, De Cooman L, Keukeleire D. Identification of a potent phytoestrogen in hops (*Humulus Lupulus L.*) and beer. **Journal of Clinical Endocrinology & Metabolism. 1999; 84(6):2249-52.**

Pedrerera JD, Lavado JM, Rico H. Ingesta moderada de cerveza y masa ósea en mujeres sanas pre, peri y postmenopáusicas. **Centro de Información Cerveza y Salud**. 2004; **E 13**.

Rosenblum ER, Campbell IM, Van Thiel DH, Gavalier JS. Isolation and identification of phytoestrogens from beer. **Alcohol Clinical and Experimental Research**. 1992; **16(5):843-5**.

Rosenblum ER, Stauber RE, Van Thiel DH, Campbell IM, Gavalier JS. Assessment of the estrogenic activity of phytoestrogens isolated from bourbon and beer. **Alcohol Clinical and Experimental Research**. 1993; **17(6):1207-9**.

### **ANTIOXIDANTES (LÚPULO)**

Arimoto-Kobayashi S, Sugiyama C, Harada N, Takeuchi M, Takemura M, Hayatsu H. Inhibitory effects of beer and other alcoholic beverages on mutagenesis and DNA adduct formation induced by several carcinogens. **Journal of Agricultural and Food Chemistry**. 1999; **47(1):221-30**.

Becker H, Gerhäuser C, Bohr G. Acylphloroglucinol Derivatives from Hops as Anti-inflammatory Agents. **Beer in Health and Disease Prevention**. 2009; **76: 753**.

Ghiselli A, Natella F, Guido A, Montanari L, Fantozzi P, Scaccini C. Beer increases plasma antioxidant capacity in humans. **Journal of Nutrition and Biochemistry**. 2000; **11(2):76-80**.

González J, Culebras JM, Mataix J, Tuñón MJ, Sánchez S. Papel protector de los flavonoides de la cerveza frente a las alteraciones hepáticas inducidas por estrés oxidativo. **Centro de Información Cerveza y Salud**. 2003; **E 13**.

González ML, Muñoz P, Valls V. Actividad antioxidante de la cerveza: Estudios "in vitro" e "in vivo". **Centro de Información Cerveza y Salud**. 2001; **E 8**.

Lapcik O, Hill M, Hampl R, Wahala K, Adlercreutz H. Identification of isoflavonoids in beer. **Steroids**. 1998; **63(1):14-20**.

Lugasi A, Hóvári J. Antioxidant properties of commercial alcoholic and nonalcoholic beverages. **Nahrung**. 2003; **47(2):79-86**.

Martínez JR, Valls V, López-Jaén AB, Marín AV, Codoñer-Franch P. Effects of alcohol-free beer on lipid profile and parameters of oxidative stress and inflammation in elderly women. **Nutrition**. 2009; **25(2):182-7**.

Martínez JR, Valls V, Villarino A. El lúpulo contenido en la cerveza, su efecto antioxidante en un grupo controlado de población. **Centro de Información Cerveza y Salud**. 2007; **E 16**.

Martínez JR, Villarino A, Cobo JM. Propiedades de la cerveza sin alcohol. **Centro de Información Cerveza y Salud**. 2001; **E 7**.

Milligan SR, Kalita JC, Pocock V, Van De Kauter V, Stevens JF, Deinzer ML, Rong H, De Keukeleire D. The endocrine activities of 8-prenylnaringenin and related hop (*Humulus Lupulus* L.) flavonoids. **Nutrition**. 2009; **25(2):182-7**.

Morales FJ. Non-specific Hydroxyl Radical Scavenging Properties of Melanoidins from Beer. **Beer in Health and Disease Prevention**. 2009; **78: 765**.

Muñoz P, Valls V, Perez-Broseta C, Iradi A, Climent JV, Oliva MR, Sáez GT. The role of 8-hydroxy-2'-deoxyguanosine in rifamycin-induced DNA damage. **Free Radical Biology & Medicine**. 1995; **18(4):747-55**.

Rivero D, Pérez-Magariño S, González-Sanjosé ML, Valls V, Codoñer P, Muñoz P. Inhibition of induced DNA oxidative damage by beers: correlation with the content of polyphenols and melanoidins. **Journal of Agricultural and Food Chemistry**. 2005; **53(9):3637-42**.

Saura-Calixto F, Serrano J, Pérez-Jiménez J. What Contribution Is Beer to the Intake of Antioxidant in the Diet?. **Beer in Health and Disease Prevention**. 2009; 42: 441.

Tagashira M, Watanabe M, Uematsu N. Antioxidative activity of hop bitter acids and their analogues. **Bioscience, Biotechnology and Biochemistry**. 1995; 59(4):740-2.

Valls V, Codoñer P, González ML, Muñoz P. Biodisponibilidad de los flavonoides de la cerveza. **Centro de Información Cerveza y Salud**. 2005; E 14.

Valls V, Martínez Alvarez JR, et al. El lúpulo contenido en la cerveza, su efecto antioxidante en un grupo controlado de población. **Centro de Información Cerveza y Salud**. 2007; E 15.

Valls V, Torres-Rodríguez MC, Muñoz P, Boix L, González-Sanjose ML, Codoñer-Franch P.  $\alpha$ -Tocopherol, MDA-HNE and 8-OHdG levels in liver and heart mitochondria of adriamycin-treated rats fed with alcohol-free beer. **Toxicology**. 2008; 249(2-3):97-101

### **ANTIOXIDANTES (XANTHOMOL)**

Albini A, Dell'Eva R, Vené R, Ferrari N, Buhler DR, Noonan DM, Fassina G. Mechanisms of the antiangiogenic activity by the hop flavonoid xanthohumol: NF-kappaB and Akt as targets. **Federation of American Societies for Experimental Biology Journal**. 2006; 20(3):527-9.

Allen PC. Anticoccidial effects of xanthohumol. **Avian Diseases**. 2007; 51(1):21-6.

Becker H, Berwanger S. Biolabeling of Xanthohumol in Hop Cones (*Humulus Lupulus* L., Cannabaceae) with Stable and Radioactive Precursors for Biosynthetic and Metabolic Studies. **Beer in Health and Disease Prevention**. 2009; 81: 795.

Bolca S, Possemiers S, Maervoet V, Huybrechts I, Heyerick A, Vervarcke S, Depypere H, De Keukeleire D, Bracke M, De Henauw S, Verstraete W, Van de Wiele T. Microbial and dietary factors associated with the 8-prenylnaringenin producer phenotype: a dietary intervention trial with fifty healthy post-menopausal Caucasian women. **British Journal of Nutrition**. 2007; 98(5):950-9.

Bracke ME, Vanhoecke BW, Derycke L, Bolca S, Possemiers S, Heyerick A, Stevens CV, De Keukeleire D, Depypere HT, Verstraete W, Williams CA, McKenna ST, Tomar S, Sharma D, Prasad AK, DePass AL, Parmar VS. Plant polyphenolics as anti-invasive cancer agents. **Anti-Cancer Agents in Medicinal Chemistry**. 2008; 8(2):171-85. **in vivo**

Carrera MP, Ramírez-Expósito MJ, Valenzuela MT, Dueñas B, García MJ, Mayas MD, Martínez-Martos JM. Renin-angiotensin system-regulating aminopeptidase activities are modified in the pineal gland of rats with breast cancer induced by N-methyl-nitrosourea. **Cancer Invest**. 2006; 24(2):149-53.

Colgate EC, Miranda CL, Stevens JF, Bray TM, Ho E. Xanthohumol, a prenylflavonoid derived from hops induces apoptosis and inhibits NF-kappaB activation in prostate epithelial cells. **Cancer Letters**. 2007; 246(1-2):201-9.

Dell'Eva R, Ambrosini C, Vannini N, Piaggio G, Albini A, Ferrari N. AKT/NF-kappaB inhibitor xanthohumol targets cell growth and angiogenesis in hematologic malignancies. **Cancer**. 2007; 110(9):2007-11. **in vivo**

Delmulle L, Bellahcène A, Dhooge W, Comhaire F, Roelens F, Huvaere K, Heyerick A, Castronovo V, De Keukeleire D. Anti-proliferative properties of prenylated flavonoids from hops (*Humulus lupulus* L.) in human prostate cancer cell lines. **Phytomedicine**. 2006; 13(9-10):732-4.

Gerhäuser C. Techniques for Assessing Anti-Cancer Effects of Beer. **Beer in Health and Disease Prevention**. 2009; 90: 901.

Gerhäuser C. Phenolic Beer Compounds to Prevent Cancer. **Beer in Health and Disease Prevention**. 2009; 68: 669.

Gerhäuser C. Beer constituents as potential cancer chemopreventive agents. **European Journal of Cancer**. 2005; **41(13):1941-54**.

Gerhäuser C, Alt A, Heiss E, Gamal-Eldeen A, Klimo K, Knauff J, Neumann I, Scherf HR, Frank N, Bartsch H, Becker H. Cancer chemopreventive activity of Xanthohumol, a natural product derived from hop. **Molecular Cancer Therapeutics**. 2002; **1(11):959-69**.

Harikumar KB, Kunnumakkara AB, Ahn KS, Anand P, Krishnan S, Guha S, Aggarwal BB. Modification of the cysteine residues in I $\kappa$ B kinase and NF- $\kappa$ B (p65) by xanthohumol leads to suppression of NF- $\kappa$ B-regulated gene products and potentiation of apoptosis in leukemia cells. **Blood Journal**. 2009; **113(9):2003-13**.

Ho YC, Liu CH, Chen CN, Duan KJ, Lin MT. Inhibitory effects of xanthohumol from hops (*Humulus lupulus* L.) on human hepatocellular carcinoma cell lines. **Phytotherapy Research**. 2008; **22(11):1465-8**.

Koo JH, Kim HT, Yoon HY, Kwon KB, Choi IW, Jung SH, Kim HU, Park BH, Park JW. Effect of xanthohumol on melanogenesis in B16 melanoma cells. **Experimental and Molecular Medicine**. 2008; **40(3):313-9**.

Mendes V, Monteiro R, Pestana D, Teixeira D, Calhau C, Azevedo I. Xanthohumol influences preadipocyte differentiation: implication of antiproliferative and apoptotic effects. **Journal of Agricultural and Food Chemistry**. 2008; **56(24):11631-7**.

Miranda CL, Stevens JF, Helmrich A, Henderson MC, Rodriguez RJ, Yang YH, Deinzer ML, Barnes DW, Buhler DR. Antiproliferative and cytotoxic effects of prenylated flavonoids from hops (*Humulus lupulus*) in human cancer cell lines. **Food and Chemical Toxicology**. 1999; **37(4):271-85**.

Monteghirfo S, Tosetti F, Ambrosini C, Stigliani S, Pozzi S, Frassoni F, Fassina G, Soverini S, Albini A, Ferrari N. Antileukemia effects of xanthohumol in Bcr/Abl-transformed cells involve nuclear factor- $\kappa$ B and p53 modulation. **Molecular Cancer Therapeutics**. 2008; **7(9):2692-702**. **in vivo**

Monteiro R, Calhau C, Silva AO, Pinheiro-Silva S, Guerreiro S, Gärtner F, Azevedo I, Soares R. Xanthohumol inhibits inflammatory factor production and angiogenesis in breast cancer xenografts. **Journal of Cellular Biochemistry**. 2008; **104(5):1699-707**. **in vivo**

Monteiro R, Faria A, Azevedo I, Calhau C. Modulation of breast cancer cell survival by aromatase inhibiting hop (*Humulus lupulus* L.) flavonoids. **Journal of Steroid Biochemistry and Molecular Biology**. 2007; **105(1-5):124-30**.

Noonan DM, Benelli R, Albini A. Angiogenesis and cancer prevention: a vision. **Recent Results in Cancer Research**. 2007; **174:219-24**. **in vivo**

Puertollano MA, Carrera MP, Puertollano E, Alvarez de Cienfuegos G, Ramirez-Expósito MJ, De Pablo MA, Martinez-Martos JM. Analysis of caspase activities in rat mammary tumours induced by N-methyl-nitrosourea. **Oncology Reports**. 2008; **20(3):657-62**.

Rodríguez RJ, Miranda CL, Stevens JF, Deinzer ML, Buhler DR. Antiproliferative and cytotoxic effects of prenylated flavonoids from hops (*Humulus lupulus*) in human cancer cell lines. **Food and Chemical Toxicology**. 1999; **37(4):271-85**.

Ruefer CE, Gerhäuser C, Frank N, Becker H, Kulling SE. In vitro phase II metabolism of xanthohumol by human UDP-glucuronosyltransferases and sulfotransferases. **Molecular Nutrition & Food Research**. 2005; **49(9):851-6**.

Sainz RM, Reiter RJ, Tan DX, Roldan F, Natarajan M, Quiros I, Hevia D, Rodriguez C, Mayo JC. Critical role of glutathione in melatonin enhancement of tumor necrosis factor and ionizing radiation-induced apoptosis in prostate cancer cells in vitro. **Journal of Pineal Research**. 2008; **45(3):258-70**.

Stevens JF, Taylor AW, Deinzer ML. Quantitative analysis of xanthohumol and related prenylflavonoids in hops and beer by liquid chromatography – tandem mass spectrometry. **Journal of Chromatography A**. 1999; **832(1-2):97-107**.

Stevens JF, Taylor AW, Clawson JE, Deinzer ML. Fate of xanthohumol and related prenylflavonoids from hops to beer. **Journal of Agricultural and Food Chemistry**. 1999; **47(6):2421-8**.

Tagashira M, Watanabe M, Uemitsu N. Antioxidative activity of hop bitter acids and their analogues. **Bioscience, Biotechnology and Biochemistry**. 1995; **59(4):740-2**.

Yasukawa K, Takeuchi M, Takido M. Humulon, a bitter in the hop, inhibits tumor promotion by 12-O-tetradecanoylphorbol-13-acetate in two-stage carcinogenesis in mouse skin. **Oncology**. 1995; **52(2):156-8**.

Yilmazer M, Stevens JF, Deinzer ML, Buhler DR. In vitro biotransformation of xanthohumol, a flavonoid from hops (*Humulus lupulus*), by rat liver microsomes. **Drug Metabolism and Disposition**. 2001; **29(3):223-31**.

### **PROTECCIÓN CARDIOVASCULAR**

Beulens JW, van den Berg R, Kok FJ, Helander A, Vermunt SH, Hendriks HF. Moderate alcohol consumption and lipoprotein-associated phospholipase A2 activity. **Nutrition, Metabolism & Cardiovascular Diseases**. 2008; **18(8):539-44**.

Beulens JW, Sierksma A, Schaafsma G, Kok FJ, Struys EA, Jakobs C, Hendriks HF. Kinetics of homocysteine metabolism after moderate alcohol consumption. **Alcoholism: Clinical and Experimental Research**. 2005; **29(5):739-45**.

Bobak M, Skodova Z, Marmot M. Effect of beer drinking on risk of myocardial infarction: population based case-control study. **British Medical Journal**. 2000; **320(7246):1378-9**.

Celermajer DS, Sorensen KE, Gooch VM, Spiegelhalter DJ, Miller OI, Sullivan ID, Lloyd JK, Deanfield JE. Non-invasive detection of endothelial dysfunction in children and adults at risk of atherosclerosis. **Lancet**. 1992; **340(8828):1111-5**.

Collins MA, Neafsey EJ, Mukamal KJ, Gray MO, Parks DA, Das DK, Korhuis RJ. Alcohol in moderation, cardioprotection, and neuroprotection: epidemiological considerations and mechanistic studies. **Alcohol Clinical Experimental Research**. 2009; **33(2):206-19**.

Di Castelnuovo A, Rotondo S, Iacoviello L, Donati MB, De Gaetano G. Meta-analysis of wine and beer consumption in relation to vascular risk. **Circulation**. 2002; **105(24):2836-44**.

De Luis DA, Fernández N, Aller R, De Luis J, Arranz M, Izaola O. Relation between total homocysteine levels and beer intake in patients with diabetes mellitus Type 2. **Annals of Nutrition and Metabolism**. 2003; **47(3-4):119-23**.

Denke MA. Nutritional and health benefits of beer. **American Journal of the Medical Sciences**. 2000; **320(5):320-6**.

Escribá PV, Sánchez-Dominguez JM, Alemany R, Perona JS, Ruiz-Gutiérrez V. Alteration of Lipids, G Proteins, and PKC in Cell Membranes of Elderly Hypertensives. **Hypertension**. 2003; **41(1):176-82**.

Estruch R, Martínez-González MA, Corella D, Salas-Salvadó J, Ruiz-Gutiérrez V, Covas MI, Fiol M, Gómez-Gracia E, López-Sabater MC, Vinyoles E, Arós F, Conde M, Lahoz C, Lapetra J, Sáez G, Ros E; PREDIMED Study Investigators. Effects of a Mediterranean-Style Diet on Cardiovascular Risk Factors. A Randomized Trial. **Annals of Internal Medicine**. 2006; **145(1):1-11**.

Estruch R, Sacanella E, Badia E, Antúnez E, Nicolás JM, Fernández-Solá J, Rotilio D, de Gaetano G, Rubin E, Urbano-Márquez A. Different effects of red wine and gin consumption on inflammatory biomarkers of atherosclerosis: a prospective randomized crossover trial. Effects of wine on inflammatory markers. **Atherosclerosis**. 2004; **175(1):117-23**.

Estruch R, Coca A, Rodicio JL. High blood pressure, alcohol and cardiovascular risk. **Journal of Hypertension**. 2005; **23(1):226-9**.

Estruch R, Martínez-González MA, Corella D, Salas-Salvadó J, Ruiz-Gutiérrez V, Covas MI, Fiol M, Gómez-Gracia E, López-Sabater MC, Vinyoles E, Arós F, Conde M, Lahoz C, Lapetra J, Sáez G, Ros E; PREDIMED Study Investigators. Effects of a Mediterranean-style diet on cardiovascular risk factors: a randomized trial. **Annals of Internal Medicine.** 2006; **145(1):1-11.**

Fernández-Solà J, Nicolás JM, Oriola J, Sacanella E, Estruch R, Rubin E, Urbano-Márquez A. Angiotensin-Converting Enzyme Gene Polymorphism is associated with vulnerability to Alcoholic Cardiomyopathy. **Annals of Internal Medicine.** 2002; **137(5 Part 1):321-6.**

Fernández-Solà J, Nicolás JM, Sacanella E, Robert J, Cofan M, Estruch R, Urbano-Márquez A. Low-dose ethanol consumption allows strength recovery in chronic alcoholic myopathy. **Quarterly Journal of Medicine.** 2000; **93(1):35-40.**

Gronbaek M, Becker U, Johansen D, Gottschau A, Schnohr P, Ole Hein H, et al. Type of alcohol consumed and mortality from all causes, coronary heart disease and cancer. **Annals of Internal Medicine.** 2000; **133:411-9.**

Gunzerath L, Faden V, Zakhari S, Warren K. National Institute on Alcohol Abuse and Alcoholism report on moderate drinking. **Alcohol Clinical and Experimental Research.** 2004; **28(6):829-47.**

Hoffmeister A, Imhof A, Rothenbacher D, Khuseyinova N, Brenner H, Koenig W. Moderate alcohol consumption and plasma concentration of sensitive markers of inflammation. Comment on an atheroprotective relationship. **Deutsche Medizinische Wochenschrift.** 2003; **128(43):2237-41.**

Imhof A, Plamper I, Maier S, Trischler G, Koenig W. Effect of drinking on adiponectin in healthy men and women: A randomised intervention study of water, ethanol, red wine and beer with or without alcohol. **Diabetes Care.** 2009.

Imhof A, Blagieva R, Marx N, Koenig W. Drinking modulates monocyte migration in healthy subjects: a randomised intervention study of water, ethanol, red wine and beer with or without alcohol. **Diabetes and Vascular Disease Research.** 2008; **5(1):48-53.**

Imhof A, Woodward M, Doering A. Overall alcohol intake, beer, wine and systemic markers of inflammation in Western Europe: results from three MONICA samples (Augsburg, Glasgow, Lille). **European Heart Journal.** 2004; **25(23):2092-100.**

Martínez-González MA, Fernández-Jarne E, Serrano-Martínez M, Wright M, Gomez-Gracia E. Development of a short dietary intake questionnaire for Eur J Clin Nutr. 2004 Nov;58(11):1550-2. **Journal of Clinical Nutrition.** 2004; **58(11):1550-2.**

Martínez-González MA, Estruch R. Mediterranean diet, antioxidants and cancer: the need for randomized trials. **European Journal of Cancer Prevention.** 2004; **13(4):327-35.**

Miura Y, Hosono M, Oyamada C. Dietary isohumulones, the bitter components of beer, raise plasma HDL-cholesterol levels and reduce liver cholesterol and triacylglycerol contents similar to PPAR-alpha activations in CL57BL/6 mice. **British Journal of Nutrition.** 2005; **93: 559-567.**

Mukamal KJ. Alcohol, Beer, and Ischemic Stroke. **Beer in Health and Disease Prevention.** 2009; **63: 623.**

Mukamal KJ, Ascherio A, Mittleman MA, Conigrave KM, Camargo CA Jr, Kawachi I, Stampfer MJ, Willett WC, Rimm EB. Alcohol and risk for ischemic stroke in men: the role of drinking patterns and usual beverage. **Annals of Internal Medicine.** 2005; **142(1):11-9.**

Mukamal KJ, Chiuve SE, Rimm EB. Alcohol consumption and risk for coronary heart disease in men with healthy lifestyles. **Archives of Internal Medicine.** 2006; **166(19):2145-50.**

Mukamal KJ, Chung H, Jenny NS, Kuller LH, Longstreth WT Jr, Mittleman MA, Burke GL, Cushman M, Beauchamp NJ Jr, Siscovick DS. Alcohol use and risk of ischemic stroke among older adults: the cardiovascular health study. **Stroke.** 2005; **36(9):1830-4.**

Mukamal KJ, Conigrave KM, Mittleman MA, Camargo CA Jr, Stampfer MJ, Willett WC, Rimm EB. Roles of drinking pattern and type of alcohol consumed in coronary heart disease in men. **New England Journal of Medicine**. 2003; **348(2):109-18**.

Mukamal KJ, Jensen MK, Grønbaek M, Stampfer MJ, Manson JE, Pischon T, Rimm EB. Drinking frequency, mediating biomarkers, and risk of myocardial infarction in women and men. **Circulation**. 2005; **112(10):1406-13**.

Mukamal KJ, Kronmal RA, Mittleman MA, O'Leary DH, Polak JF, Cushman M, Siscovick DS. Alcohol consumption and carotid atherosclerosis in older adults: the Cardiovascular Health Study. **Arteriosclerosis, Thrombosis, and Vascular Biology**. 2003; **23(12):2252-9**.

Mukamal KJ, Mackey RH, Kuller LH, Tracy RP, Kronmal RA, Mittleman MA, Siscovick DS. Alcohol consumption and lipoprotein subclasses in older adults. **Journal of Clinical Endocrinology & Metabolism**. 2007; **92(7):2559-66**.

Mukamal KJ, Tolstrup JS, Friberg J, Jensen G, Grønbaek M. Alcohol consumption and risk of atrial fibrillation in men and women: the Copenhagen City Heart Study. **Circulation**. 2005; **112(12):1736-42**.

Nicolás JM, Fernández-Solà J, Estruch R, Paré JC, Sacanella E, Urbano-Márquez A, Rubin E. The effect of controlled drinking in alcoholic cardiomyopathy. **Annals of Internal Medicine**. 2002; **136(3):192-200**.

Perona JS, Ruiz-Gutierrez V. Simultaneous determination of molecular species of monoacylglycerols, diacylglycerols and triacylglycerols in human very-low-density lipoproteins by reversed-phase liquid chromatography. **Journal of Chromatography B Analytical Technologies in the Biomedical and Life Sciences**. 2003; **785(1):89-99**.

Rivero D, Perez-Magarino S, Gonzalez-SanJose ML, Valls V, Codoñer P, Muñoz P. Inhibition of induced DNA oxidative damage by beers: correlation with the content of polyphenols and melanoidins. **Journal of Agricultural and Food Chemistry**. 2005; **53(9):3637-42**.

Rice-Evans C. Flavonoids and isoflavones: absorption, metabolism, and bioactivity. **Free Radical Biology & Medicine**. 2004; **36(7):827-8**.

Rice-Evans CA, Miller NJ, Paganga G. Structure-antioxidant activity relationship of flavonoids and phenolic acids. **Free Radical Biology & Medicine**. 1996; **20(7):933-56**.

Rimm EB, Klatsky A, Grobbee D, Stampfer MJ. Review of moderate alcohol consumption and reduced risk of coronary heart disease: is the effect due to beer, wine, or spirits. **British Medical Journal**. 1996; **312(7033):731-6**.

Rimm EB, Williams P, Fosher K, Criqui M, Stampfer MJ. Moderate alcohol intake and lower risk of coronary heart disease: meta-analysis of effects on lipids and haemostatic factors. **British Medical Journal**. 1999; **319(7224):1523-8**.

Rosenson RS. Statins in atherosclerosis: lipid-lowering agents with antioxidant capabilities. **Atherosclerosis**. 2004; **173(1):1-12**.

Sacanella E, Badía E, Nicolás JM, Fernández-Solá J, Antúnez E, Urbano-Márquez A, Estruch R. Differential effects of moderate or heavy alcohol consumption on circulating adhesion molecule levels. **Thrombosis and Haemostasis**. 2002; **88(1):52-5**.

Serra-Majem L, Roman B, Estruch R. Scientific evidence of interventions using the Mediterranean diet: a systematic review. **Nutrition Reviews**. 2006; **64(2 Pt 2):S27-47**.

Stocker R, Keaney JF Jr. Role of oxidative modifications in atherosclerosis. **Physiological Reviews**. 2004; **84(4):1381-478**.

Truelsen T, Grønbaek M, Schnohr P, Boysen G. Intake of beer, wine, and spirits and risk of stroke: the Copenhagen City Heart Study. **Stroke**. 1998; **29(12):2467-72**.

Van der Gaag MS, Ubbink JB, Sillanaukee P, Nikkari S, Hendriks HF. Effect of consumption of red wine, spirits, and beer on serum homocysteine. **Lancet**. 2000; **355(9214):1522**.

Villarino AR, Posada P, Martínez JR, Ortuño I, Astasio P, Ortega P. Cerveza y enfermedad cardiovascular. Revisión bibliográfica sistemática (Metaanálisis). **Nutrición Hospitalaria**. 2002; **XVII (3) 122-127**.

Winkler C, Wirleitner B, Schroecksnadel K, Schennach H, Fuchs D. Beer down-regulates activated peripheral blood mononuclear cells in vitro. **International Immunopharmacology**. 2006; **6(3):390-5**.